

Amendments to the Claims

The listing of claims will replace all prior versions, and listings of claims in the application.

1 - 35. (Cancelled).

36. (Currently amended) A method for identifying a compound that has the activity of inhibiting sister chromatid separation in eukaryotic cells, said method comprising:

(a) incubating with a test compound a separin in the presence of a separin substrate, wherein said substrate is a peptide or polypeptide comprising an amino acid sequence EXXR (SEQ ID NO:3), wherein X is any amino acid, and the substrate is capable of being cleaved by the separin; and

(b) determining the inhibiting effect of the test compound on the proteolytic activity of the separin,

wherein a compound determined in (b) to inhibit the proteolytic activity of the separin has the activity of inhibiting sister chromatid separation in eukaryotic cells.

37. (Previously presented) The method of claim 36, wherein said eukaryotic cell is an animal cell.

38-39. (Cancelled)

40. (Previously presented) The method of claim 36, which is high-throughput.

41. (Previously presented) The method of claim 36, wherein said separin is recombinant.

42. (Cancelled)

43. (Previously presented) The method of claim 36, wherein said separin is human separin.

44. (Previously presented) The method of claim 36, wherein said substrate is a protein recombinantly produced in baculovirus in the presence of a phosphatase inhibitor.

45. (Cancelled)

46. (Currently amended) The method of claim 36, wherein said substrate is human SCC1, or a fragment ~~or variant~~ thereof that can be cleaved by separin or having a separin cleavage site.

47. (Currently amended) The method of claim 46, wherein said substrate is a polypeptide comprising [[an]] the amino acid sequence of SEQ ID NO:1, or a fragment ~~or variant~~ thereof that can be cleaved by separin or having a separin cleavage site.

48. (Previously presented) The method of claim 36, wherein said substrate comprises a label which generates a detectable signal proportional to the amount of the cleavage product of the proteolytic activity, and wherein the signal is measured in the presence and in the absence of the test compound.

49. (Previously presented) The method of claim 48, wherein said label is fluorescent.

50 - 57.(Cancelled)

58. (Previously presented) The method of claim 36, wherein said substrate is human SCC1.

59. (Currently amended) The method of claim 46, wherein said substrate is a polypeptide comprising [[an]] the amino acid sequence of SEQ ID NO:1.